






## venetian blinds

## ecowood



Ecowood Venetian is an ideal alternative to natural wood especially where style and function are a must, washable allowing you peace of mind without having to worry about issues like chipping and warping

## **Finishes**





## **Product Specifications**

**Product:** Ecowood Venetian

**Slat:** 50 mm wide  $\times$  3 mm  $\pm$  0.2 mm thick. Furnish not less than nominal 6.9 slats per foot (cloth tape 7.2 slats per foot) to ensure tight closure and light control

**Slat Material:** Polystyrene based polymer with consistent color throughout.

**Dimensions:** Width 500 mm minimum - 2400 mm maximum. Height 500 mm minimum - 2600 mm maximum

**Slat Support:** Ladder strings made of 100% polyester yarn compatible with slats and spacing of ladder no more than  $44 \pm 0.2$  mm. Optional ladder tapes constructed of high strength polyester webbing and spacing no more than 44 mm  $\pm 0.2$  mm. Ladder tapes spaced to comply with industry standard for size and weight of blind.

**Headrail:** U-shaped profile with rolled edges measuring 58 mm x 52 mm x 0.4 mm made of corrosion resistant steel delivering a high profile design. Internal components well fit for specified performance and designed for smooth and trouble-free operation. Headrail finish to be standard baked-on polyester and to coordinate with slats. Ends fitted with high-density white plastic end caps.

**Bottom Rail:** Trapezoid shape 50 mm wide x 15.8 mm ± 0.2 mm made of co-extruded polystyrene-based polymer. Color-coordinated engineered polymer tape buttons to secure the ladder and cord. Finish to be stained or painted to match color of slat.

**Lifting Mechanism:** Fully enclosed standard cord tilt holds and tilts slats at any angle. Solid steel, corrosion resistant tilt rod. Optional plastic bead chain (Ø4.5 x 6 mm) incorporated into the tilter mechanism designed for bigger and heavy blinds, i.e. blind width exceeds 2000 mm.

**Mounting Brackets:** Steel square brackets 65 mm x 64 mm x 22 mm with baked-on polyester finish similar to headrail color.

**Valance:** Canterbury shape polystyrene-based polymer of 63 mm wide x 8 mm thick with finish to coordinate with slats.

**Blind Measurement:** Shall be accurate with a maximum deviation of no more than ± 3mm or as recommended in writing by epic window fashion.

**Deduction Rules:** 10 mm off opening width for inside mount. No deductions for outside mount.

**Slat Finish:** 6 selected colors: White-Smooth, White-Embossed, Natural, Teak, Coffee, Cherrywood, additional colors available by Q3 of 2020.

**Ladder Strings:** Ladder strings colors to coordinate with slat color. Optional cloth tapes (25 mm x 44 mm x 54 mm) available. Please refer to samples for available tape colors and pricing guide for surcharge.